

<b>Alizé</b>	<b>Date</b>	<b>N° local</b>	<b>Type de local</b>	<b>Robinet</b>	<b>Buvette</b>	<b>Résultat</b>
824-051-001P0	15-06-2020	SRM-129	Corridor		X	<2,0
824-051-001P30	15-06-2020		Corridor		X	<2,0
824-051-002P0	15-06-2020	SRM-129	Corridor		X	<2,0
824-051-002P30	15-06-2020		Corridor		X	<2,0
824-051-003P0	15-06-2020	SRM-129	Corridor		X	<2,0
824-051-003P30	15-06-2020		Corridor		X	<2,0
824-051-004P0	15-06-2020	SRM-125	Classe		X	<2,0
824-051-004P30	15-06-2020		Classe		X	<2,0
824-051-005P0	15-06-2020	SRM-125	Classe	X		<2,0
824-051-005P30	15-06-2020		Classe	X		<2,0
824-051-006P0	15-06-2020	SRM-127	Classe		X	<2,0
824-051-006P30	15-06-2020		Classe		X	<2,0
824-051-007P0	15-06-2020	SRM-162	Classe		X	<2,0
824-051-007P30	15-06-2020		Classe		X	<2,0
824-051-008P0	15-06-2020	SRM-162	Classe	X		<2,0
824-051-008P30	15-06-2020		Classe	X		<2,0
824-051-009P0	15-06-2020	SRM-155	Classe		X	<2,0
824-051-009P30	15-06-2020		Classe		X	<2,0

<b>Alizé</b>	<b>Date</b>	<b>N° local</b>	<b>Type de local</b>	<b>Robinet</b>	<b>Buvette</b>	<b>Résultat</b>
824-051-010P0	15-06-2020	SRM-155	Classe	X		<2,0
824-051-010P30	15-06-2020		Classe	X		<2,0
<del>824-051-011P0</del>						
<del>824-051-011P30</del>						
824-051-012P0	15-06-2020	SRM-132	Service de garde		X	<2,0
824-051-012P30	15-06-2020		Service de garde		X	<2,0
824-051-013P0	15-06-2020	SRM-132	Service de garde	X		<2,0
824-051-013P30	15-06-2020		Service de garde	X		<2,0
824-051-014P0	15-06-2020	SRM-121	Toilette		X	<2,0
824-051-014P30	15-06-2020		Toilette		X	<2,0
824-051-015P0	15-06-2020	SRM-121	Toilette	X		<2,0
824-051-015P30	15-06-2020		Toilette	X		<2,0
824-051-016P0	15-06-2020	SRM-118	Salon du personnel	X		<2,0
824-051-016P30	15-06-2020		Salon du personnel	X		<2,0
824-051-017P0	15-06-2020	SRM-203	Classe		X	<2,0
824-051-017P30	15-06-2020		Classe		X	<2,0
824-051-018P0	15-06-2020	SRM-203	Classe	X		<2,0
824-051-018P30	15-06-2020		Classe	X		<2,0

<b>Alizé</b>	<b>Date</b>	<b>N° local</b>	<b>Type de local</b>	<b>Robinet</b>	<b>Buvette</b>	<b>Résultat</b>
824-051-019P0	15-06-2020	SERM-215	Classe		X	<2,0
824-051-019P30	15-06-2020		Classe		X	<2,0
824-051-020P0	15-06-2020	SERM-215	Classe	X		<2,0
824-051-020P30	15-06-2020		Classe	X		<2,0
824-051-021P0	15-06-2020	SERM-207	Classe		X	<2,0
824-051-021P30	15-06-2020		Classe		X	<2,0
824-051-022P0	15-06-2020	SRM-207	Classe	X		<2,0
824-051-022P30	15-06-2020		Classe	X		<2,0
824-051-023P0	15-06-2020	SRM-214	Classe		X	<2,0
824-051-023P30	15-06-2020		Classe		X	<2,0
824-051-024P0	15-06-2020	SRM-214	Classe	X		<2,0
824-051-024P30	15-06-2020		Classe	X		<2,0
824-051-025P0	15-06-2020	SRM-210	Classe		X	<2,0
824-051-025P30	15-06-2020		Classe		X	<2,0
824-051-026P0	15-06-2020	SRM-210	Classe	X		<2,0
824-051-026P30	15-06-2020		Classe	X		<2,0
824-051-027P0	15-06-2020	SRM-211	Classe		X	<2,0
824-051-027P30	15-06-2020		Classe		X	<2,0

<b>Alizé</b>	<b>Date</b>	<b>N° local</b>	<b>Type de local</b>	<b>Robinet</b>	<b>Buvette</b>	<b>Résultat</b>
824-051-028P0	15-06-2020	SRM-211	Classe	X		<2,0
824-051-028P30	15-06-2020		Classe	X		<2,0
824-051-029P0	15-06-2020	SRM-219	Classe		X	<2,0
824-051-029P30	15-06-2020		Classe		X	<2,0
824-051-030P0	15-06-2020	SRM-219	Classe	X		<2,0
824-051-030P30	15-06-2020		Classe	X		<2,0
824-051-031P0	15-06-2020	SRM-220	Classe		X	<2,0
824-051-031P30	15-06-2020		Classe		X	<2,0
824-051-032P30	15-06-2020	SRM-220	Classe	X		<2,0
824-051-032P0	15-06-2020		Classe	X		<2,0
824-051-033P30	16-06-2020	SRM-222	Classe		X	<2,0
824-051-033P0	16-06-2020	SRM-222	Classe		X	<2,0
824-051-034P30	16-06-2020	SRM-222	Classe		X	<2,0
824-051-034P0	16-06-2020	SRM-222	Classe		X	<2,0
824-051-035P30	16-06-2020	SRM-229	Classe		X	<2,0
824-051-035P0	16-06-2020	SRM-229	Classe		X	<2,0
824-051-036P0	16-06-2020	SRM-229	Classe		X	<2,0
824-051-036P30	16-06-2020	SRM-229	Classe		X	<2,0

## **Bilan**

Alizé

---

35

---

35

---

<b>Conforme en tout temps</b>	<b>Conforme après que l'eau ait coulé 30 secondes</b>
14	
21	
Point d'eau demeure accessible	

---

***P0s*** : échantillon prélevé après la période de

***P030s***: échantillon prélevé après 30 secondes